

Chain Assemblies • Test Gauges • Tub Plugs



A) Extension/Inflation Hoses with Gauge:

- Well suited for plugs up to 15"
- 0-100 PSIG gauge
- 3/16" ID hose:



Extension/Inflation Hoses

- Well suited for plugs up to 15"
- 3/16" ID hose

Part Number	Description
Extension/Inflation Hoses with Gauge	
274218	5' Extension hose with gauge
274228	10' Extension hose with gauge
274238	20' Extension hose with gauge
Extension/Inflation Hoses	
274011	2' Extension hose
274038	3' Extension hose
274054	5' Extension hose
274100	10' Extension hose
274208	20' Extension hose
055816	Deflator with clamp (female replacement end)
055808	Inflator with clamp (male replacement end)

Replacement Ring & Chain Assembly:

- Prevents Test-Ball® plugs from falling down a line
- Includes safety tag



Part Number	Product Description
Replacement Ring & Chain Assemblies	
059708	2' Ring with 12" chain
059718	3' Ring with 12" chain
059728	4' Ring with 12" chain
059738	5' Ring with 12" chain
059748	6' Ring with 12" chain
059758	2' Ring with 24" chain
059768	3' Ring with 24" chain
059778	4' Ring with 24" chain
059788	5' Ring with 24" chain
059798	6' Ring with 24" chain

Tub Waste & Overflow Plugs: (Part #012678)

- Isolate bath waste for air/water testing
- Yellow ABS plastic
- Natural rubber gasket
- Threads into drain spuds with center hole and center hole overflow elbows
- Can only be used in overflow drains with 1/2" and 3/8" center hole diameters



Test Gauges:

- 2" plastic face
- High-quality brass 1/4" connection

Part Number	Description
Test Gauges without Test Body	
000698	0-15 PSI pressure range .1 PSI increments
000628	0-30 PSI pressure range .5 PSI increments
000638	0-60 PSI pressure range 1 PSI increments
000648	0-100 PSI pressure range 2 PSI increments



Test Gauges:

- 2" plastic face
- Chrome plated body
- 1/8" Schrader valve
- 3/4" NPT(F) pipe connection



Part Number	Description
Test Gauges with Hexagonal Test Body	
024568	0-15 PSI pressure range .1 PSI increments
019698	0-30 PSI pressure range .5 PSI increments
019708	0-60 PSI pressure range 1 PSI increments
019718	0-100 PSI pressure range 2 PSI increments

Poly-Lift Lines • Extension Hoses

Poly-Lift Line with Gauge:

- Retard gauge: helps prevent "peg-out" damage
- Heavy-duty rubber gauge cover protects gauge face
- 3/8" ID hose for quick inflate/deflate
- Quick-dump valve for easy deflation
- Quick disconnect design for easy installation
- Designed for use with plugs with removable inflator valve and eye bolt

Part Number	Length
Poly-Lift Line with Gauge	
261398	20'
261408	30'
261418	40'
048468	0-60 psi retard gauge with protective rubber cover
053458	0-60 psi retard gauge only



Dual Inflation Hose:

- Designed for large diameter multi-size plugs (15"-30" to 54"-96")
- 0-60 psi gauge with high impact resistant cover
- 3/4" inflation line with 3/16" read-back hose
- Dual hose assembly helps prevent gauge "peg-out"/flutter
- Quick dump valve on 3/4" hose to speed up deflation

Part Number	Description
Dual Inflation Hose w/ Gauge	
058058	30' Length

Poly-Lift Line:

- Great for plugs up to 15"
- 3/16" ID hose
- Threaded connection fittings



Part Number	Product Length
Poly-Lift Line	
261084	20'
261106	30'
261114	40'