GPSi 3200

Portable Inverter Generators (1700 - 4300 W)

Compact, convenient power for commercial and residential use

The GPSi 3200 inverter generator, with electric start and four wheel transport kit, offers clean AC power that is ideal for powering small tools and sensitive electronics. The inverter technology allows the engine speed to automatically increase or decrease based on the power needs of the equipment, which creates a much quieter fuel efficient generator. The lightweight and compact size make it easy for one person to transport.

- Inverter technology allows for variable engine speed that automatically adjusts to the power needs of the connected equipment, reducing operating costs and extending time between refueling.
- Integrated flywheel and generator design results in compact, lightweight unit that is quiet and fuel efficient.
- High surge capacity provides for output as high as 120% over rated power for up to 20 seconds.
- Multi-monitor information display shows the generator performance, voltage, frequency, hours of operation and if present, overload condition
- GFCI portected 110V duplex outlet for personal protection.

ICM of America Internet Sales 877-494-5793

GPSi 3200
Portable Inverter Generators (1700 - 4300 W)

Technical specifications

Dimensions

L x W x H	21.1 x 19.0 x 23.0 in
L x W x H Shipping	22.4 X 21.7 X 24.8 in
Weight Dry	130.1 lb
Operating weight	148.8 lb
Shipping weight	143.3 lb

Electrical system

Electrical power (Max.)	3,200 W
Electrical power (Continuous)	2,800 W
Voltage	120 V
Current AC (Continuous)	23.3 A
Circuit breaker DC	10 A
Frequency	60 Hz
Power factor	1 cos Φ 1~
Receptacles AC	1 NEMA 5-20R / 1 NEMA 5-30R
Receptacles DC	+/- Terminals
Generator insulation (class)	B

Engine / Motor

Engine / Motor manufacturer	Robin
Engine / Motor	EX21
Fuel type	Gasoline
Cylinder	1
Displacement	12.87 in^3
Operating performance	6.4 hp
RPM / speed	3,600 rpm
Power Rating Specification	SAE J1349
Fuel consumption	0.45 US gal/h
Tank capacity Gasoline	3.7 US gal
Tank capacity Oil	0.63 US qt

ICM of America Internet Sales 877-494-5793

Runtime	8.2 h
Starting device	Electric (plus recoil)

ICM of America Internet Sales 877-494-5793