



**WACKER
NEUSON**



LBA 1

Light Balloons

Simply light: The basic element

The LBA 1 is a fully functional light balloon without tripod (balloon, ballast and cord), designed for use with the customer's own equipment. The Wacker Neuson tripod is available as optional accessory - or you could buy the LB 1 that includes balloon and tripod


- The powerful 1000 W metal halide lamp offers maximum brightness without glare. That makes it particularly suitable for road building sites.
- The diffused light from the balloon reduces shadows and contrast for bright, clear illumination.
- The actual balloon is constructed from a special foldable and durable material. The balloon does not need to be blown up. It is held open by metal supports.
- Quickly and easily attached to a scaffold or an asphalt paver, for instance.

Light intensity at a distance to the light balloon:

ICM of America Internet Sales 877-494-5793



**WACKER
NEUSON**



ICM of America Internet Sales 877-494-5793

**LBA 1**
Light Balloons

Technical specifications

Luminous flux	99,000 lm
Lamp type	Metal halide
Lamp output	1,000 W
L x W x H	35.4 x 35.4 x 23.6 in
L x W x H Shipping	70.9 x 10 x 10.6 in
Diameter Balloon	35.4 in
Height Balloon	23.6 in
Operating weight	62.6 lb
Weight Transport weight	75.6 lb
Operating temperature up to	104 ° F
Voltage (AC)	120 V
Operating current Open Circuit Max.	7 A
Operating current Steady State Max.	8 A
Frequency	60 Hz
Cable length (balloon to ballast)	23 ft
Cable length (ballast to generator)	9.8 ft

ICM of America Internet Sales 877-494-5793